

## CFP 640 Low Profile Dry Chemical Suppression System Unit Specifications:



NYC Fire Dept.  
Certificate of Approval  
#5754

Suppressing Agent: CF-33 ABC Dry Chemical Blend

Maximum Total Flood Volume: 8.2'x 8.2'x 10' = 672.4 Cu. Ft.  
2.49m x 2.49m x 3.05m = 18.91 Cubic Meters

Reach Coverage Area: 8.2'x 8.2' = 67.42 Sq. Ft.  
2.49m x 2.49m = 6.20 Square Meters

Temperature Rating/Validation: -20°F to 120°F / -29°C to 49°C

Cylinder: Worthington Cylinder

Diameter: 7.50" / 19.05cm

Length: 11.38" + 3.12" Coupling Assembly / 29cm + 8.60cm

Capacity: 7 lbs / 3.18 kg

Unit Weight: 25.25 lbs / 11.45 kg

Ship Weight: 29 lbs / 13.15 kg

Operating Pressure: 175 psi / 1207 kPa

Propellant: High Purity Compressed Dry Nitrogen

Standard System Activation: 155° Fahrenheit / 68.3° Celsius

Designed and Tested by Cease Fire<sup>®</sup> in Accordance with NFPA-17 and UL-1254

UL listed for Pre-engineered Extinguishing Systems

